Volume 13, Issue 11 November 2016



- November 10—BCIA Bull and Heifer Sale, Raymond
- November 29—BOA Collins, MS
- February 1-3— NCBA Convention, Nashville, TN
- February 10-11— MCA Convention, Jackson, MS
- March 1—BCIA Annual Meeting and Supper
- March 2– BCIA and Hinds Community College Bull Sale, Raymond
- March 16-18- MSU AI School, Starkville

Inside this issue:

DNA Testing	2
DNA Testing Continued	3
Management Calendar	4
MBCIA Membership	4

S S I S S I Ι P M Ρ Ι

BEEF CATTLE IMPROVEMENT ASSOCIATION

BEEF GATITLE IMPROV Fall Bull & Heifer Sale

NOON - THURSDAY NOVEMBER 10, 2016 RAYMOND, MISSISSIPPI

TOP PRODUCER DATE: THURSDAY, NOVEMBER 10TH NOON TIME: WHERE: HINDS COMMUNITY COLLEGE RAYMOND, MS.

SALE FEATURES INCLUDE: - BULLS MANY BREEDS REPRESENTED----THIRTY ELITE BRED HEIFERS----REGISTERED OPEN HEIFERS---

MAKE PLANS TO JOIN US FOR DINNER & MEETING AT 6:30 P.M. ON WEDNESDAY, NOVEMBER 9TH IN THE SALES ARENA. PLEASE R.S.V.P. TO M.QUINN@MSSTATE.EDU.

VISIT EXTENSION.MSSTATE.EDU/BEEF FOR MORE INFORMATION ON SALE CRITERIA, TO VIEW THE CATALOG AND FIND CONSIGNOR INFORMATION.

FOR MORE INFORMATION OR TO RECEIVE CATALOG, CONTACT: BCIA MISSISSIPPI STATE

DR. BRANDI KARISCH - (662) 325-7465 - BRANDI.KARISCH@MSSTATE.EDU COBIE RUTHERFORD - (662) 325-4344 - COBIE.RUTHERFORD@MSSTATE.EDU

With the 2016 Fall BCIA Bull and Heifer Sale only days away, we hope you are making plans to attend! This will be an opportunity to add great Mississippi genetics to your herd! To sell in this sale, animals must meet a rigorous set of performance standards and bulls must have EPD data available. Please let Dr. Brandi Karisch or

myself know if you need any assistance in placing bids or finding the right genetics for your farm. Hope to see you there.

EXTENSION

NOTE: An updated version of the catalog including updated data and scratches is available at: extension.msstate.edu/beef

lobie Rutherford

Page 2

How To Get Started With DNA Testing

Alison Van Eenennaam - University of California, Davis (accessed from ebeef.org)

There are a number of different companies offering DNA tests, and testing is being done to answer a number of different questions. I have sometimes heard producers say they "DNAed" their cattle, but that is little bit like saying I vaccinated my cattle – the important question is "for what"? DNA is present in every cell and so DNA can be extracted from a number of different tissues including blood, semen, hair follicles, and an ear notch. Before going ahead to perform DNA testing there are a number of questions you need to ask as detailed in this fact sheet.

Step 1: What do you want to test?

There are several different types of DNA tests, including parentage tests that can determine a particular animal's sire, single trait tests that evaluate simple traits like coat color or inherited defects/diseases and SNP chip tests which can be used for genomic selection of complex traits such as weaning weight and calving ease. Some testing platforms can simultaneously provide parentage, single trait and information to enable the calculation of genomic-enhanced EPDs (GE-EPD) which can improve selection accuracy.

The value of DNA testing to an individual operation depends on a number of factors. These include the breed(s) and number of animals that will be tested, and sometimes the availability of health records, pedigrees and EPDs. The ultimate goals for testing results are also important to consider. DNA testing can be used for a variety of purposes such as aiding in selection and breeding choices, sorting into management groups, pedigree verification and even marketing. The successful use of DNA tests for these purposes requires a basic understanding of how they work and how the results should be applied.

Parentage and Paternity Tests

Parentage tests work with a variety of sample types, including blood, hair and tissue. They require that the breeder/producer identify at least one potential parent that has DNA on file or that can have a sample included with the offspring's sample. The quickest and best results are available if DNA is available from both the dam and all potential sires. Parentage tests generate DNA profiles for the offspring and the presumed parent(s) using multiple genetic markers. Parental status is determined based on exclusions. Parentage tests are required by many breed registries and are useful for ensuring accurate pedigrees which increases the accuracy of genetic evaluations. Paternity results are also useful for evaluating the performance and prolificacy of new bulls in multiple-bull breeding pastures.

Single Gene Tests

Single gene and genetic defect tests also work with a variety of sample types and usually test for single, known, genetic variants. The results are used to make appropriate breeding decisions to reduce or eliminate genetic disorders/diseases in herds and to optimize beneficial traits.

SNP Chip Tests

SNP assays work on multiple sample types and are used to analyze thousands, or tens or hundreds of thousands, of single nucleotide polymorphisms (SNPs). SNPs are single base pair changes in the DNA. Large numbers of SNPs can be rapidly evaluated using SNP chips.

Genomic testing is available through breed associations who have partnered with two companies that provide genotyping services; Zoetis and Neogen/GeneSeek. There are several types of tests which differ mainly by the number of genetic markers that are included in the test. There are the so called high-density chips which have somewhere between 50,000-150,000 single nucleotide polymorphism, or SNP, markers on a single assay. There are also some lower-density chips that are less expensive and can be used for "imputation" up to the high density chip (e.g. Zoetis® i50K and GeneSeekLD).

Many SNP panels often include established parentage markers as well as some single trait or genetic defect tests mutation tests for common genetic abnormalities. This can decrease the cost of these tests quite dramatically when they are ordered as an addon test, rather than a stand-alone test.

There are several tests that are being marketed for use on commercial cattle that are not directly part of a breed association genetic evaluation program. There are two products exclusively distributed by Angus Genetics Inc. (AGI) and marketed by Zoetis® which are designed for animals that are at least 75% Black Angus. These include GeneMax Advantage (\$39) and GeneMax Focus (\$17). The first test involves tens of thousands of markers and is marketed as a heifer selection and mating test that ranks heifers for net return using three economic indices (Cow Advantage: Predicts differences in profitability from heifer development, pregnancy and calving, to the sales of weaned progeny; Feeder Advantage: Predicts differences in net return of feeder calf progeny due to growth, feed efficiency and CAB carcass merit; Total Advantage: Predicts differences in profitability from genetic merit across all economically-relevant traits captured in Cow and Feeder Advantage index scores). It also identifies genetic outliers for cow cost, docility, marbling and tenderness, and allows for paternity assignment if the sires have been 50K or i50K tested by Zoetis®.

GeneMax Focus utilizes fewer genetic markers and is marketed to provide genomic predictions for feedlot gain and marbling, in addition to sire assignment. These two tests are only intended for use on unregistered, commercial high-percentage Angus cattle. As such, GeneMax predictions do not contribute to Angus breed association genomic-enhanced EPDs (GE-EPDs). There are also some tests being marketed for crossbred cattle.

PredicGen

PredicGEN (\$19.50) is a test marketed by Zoetis® as "a heifer selection tool for straight-bred or crossbred British/ Continental animals that are less than 75% Black Angus". Data is reported back on a normally distributed 0 to 100 scale, with a mean of 50

based on Zoetis'® database of 20,000 animals. It provides predictions of genetic merit for key carcass traits – marbling score, USDA yield grade and tenderness, as well as an index that predicts carcass grid value The economic importance of these traits for heifer selection will depend upon the individual marketing strategy and value of carcass traits to overall ranch returns.

Igenity Gold and Silver

The Igenity Gold and Silver tests, which include approximately 1000 markers associated with 13 traits of interest and some randomly spaced markers, are being marketed by Neogen® as "DNA profiles for crossbred and purebred cattle." A single prediction equation is used for each trait to give the score or molecular breeding value, irrespective of the breed makeup of the animal being tested. The silver test evaluates six traits (calving ease maternal, stayability, residual feed intake, average daily gain, tenderness, marbling), and the gold test includes an additional 7 traits (birth weight, calving ease direct, heifer pregnancy, docility, milk, ribeye area and back fat thickness). A selection index score is provided for each animal based on the six traits that are in both tests. According to the Neogen brochure, the development of these tests involved large populations with phenotypic data and/or expected progeny differences (EPDs) comprising tens of thousands of animals that represent various biological types. The six main datasets used to form the training data set for this test were from six breed associations: Angus, Hereford, Gelbvieh, Limousin, Red Angus, and Simmental. Data is reported back on a 1 to 10 scale.

Step 2: Which company do you want to use for testing?

Several companies offer various combinations of mutation tests, and many offer both mutation tests and parentage testing in cattle along with a variety of other species. For a list of companies and currently-available tests, please visit the following webpage at UC Davis:

http://animalscience.ucdavis.edu/AnimalBiotech/

Biotechnology/Companies.

In order to have genomic information included in breed association genetic evaluations the DNA sample typically has to be submitted through the breed association. The cost for genetic testing the tests that are used in genetic evaluation is ~ 75-90 for the high-density chips, and 45-50 for the low-density imputation chips. Breed associations obtain either molecular breeding values or genotypes from the service provider and work to include that genomic information to provide genomic-enhanced EPDs (GE-EPD) that have improved accuracy due to the inclusion of the genomic information in the EPD calculations.

Zoetis (<u>http://www.zoetis.com/products-services/animal-genetics.aspx</u>) and Neogen's GeneSeek (<u>http://www.neogen.com/Genomics/Beef.html</u>) are currently the companies that are partnering with US beef breed associations to provide the genotypes needed to develop genomic-enhanced EPDs.

Step 3: How much do genetic tests cost?

The costs for various DNA tests in cattle vary based on the type of test(s) being performed, the company and the number of

animals being tested. Costs can range from ~ 13-20 for parentage testing, ~20-330 per animal for a single mutation test for a disease or trait, up to \$75-90 for the high-density SNP chips for genomic-enhanced EPDs. If multiple tests can be performed on a single DNA sample or a large volume of samples is tested then the cost per test is reduced. Additional costs can include the cost of DNA cards, sample collection, sample storage and shipping and sample processing, again depending on sample type, test and application.

Step 4: What kind of sample do you need to submit?

Most of the DNA testing that has been described here can be performed on a variety of samples. These include tail hairs, blood (in tubes or on blood spot cards), semen, or tissue. Hair samples and blood spot cards are the easiest to submit as they generally do not require refrigeration or any special packaging. The hairs themselves do not contain DNA; it is located in the hair root bulb. Submitted hair samples must contain root bulbs in order to be processed for DNA. Always be sure to follow collection procedures closely and properly label all samples. Please see factsheet <u>2015-2</u> for more information on DNA sample collection. It is important to note that preferred sample types may be requested for specific tests, so be sure to carefully review the instructions provided by the testing company prior to sample submission.

Step 5: How do you ship the sample?

Many sample types can be shipped at room temperature. Tissue samples may need to be frozen upon collection and shipped in a cooler with an ice pack. Never store samples in direct sunlight or expose them to heat. Heat denatures DNA and will result in a poor sample and potentially inconclusive test results.

Step 6: What do you do with the results?

Parentage and mutation test results often need to be reported to specific breed associations for registration purposes. This is also true for SNP results for breeds that use them for genetic evaluation. Results of disease, trait and coat color mutation tests can be used to manage breeding decisions to avoid undesirable phenotypes in offspring.

Conclusion

DNA technologies are evolving rapidly and it is likely that in the future DNA information will play an increasingly important role in beef cattle breeding and management. Even if you are not currently testing it may be prudent to collect DNA samples (e.g. tail hair) on important animals in your herd (e.g. herd bulls) and store them for potential future uses. Many times when performing parentage determinations using DNA information, producers realize they are missing DNA samples from potential sires which typically sired the calves 12-18 months prior to the paternity test. It is also likely there will be future uses for DNA the technology that have not been thought of yet – like smart phone technology this is a rapidly moving field and it may be wise to have some archived DNA samples on hand to make use of new innovations in the future.

November 2016 - Management Calendar

GENERAL

With drought conditions covering much of the state, producers should monitor/record Body Condition Scores of the cow herd. Energy and Protein supplementation may be needed on residual summer grazing such as stockpiled bermudagrass. It is not too late to test the quality of stored forages and order winter supplements. Continue monitoring supplemental feed prices. Keep proper free-choice minerals and clean water available for cattle at all times. Maintain a complete herd health program in consultation with a veterinarian including internal and external parasite control and vaccinations. Remove any remaining insecticidal ear tags as they can release low levels of insecticide and promote the development of resistant flies. As the weather cools down, watch for lice and treat cattle as needed. Deworm and implant stockers as appropriate. Continue good production and financial record keeping. This is also a good time to service equipment.

SPRING CALVING—January, February, March

Check weaned calves regularly for health problems, and make sure the nutritional program is providing adequate gains. If culling is not complete, it should be finished this month. Establish permanent identification (tattoos or brands) for bred heifers that will remain in the herd. Replacement heifers will likely need to continue to grow at a rate of 1 to 1.5 lbs. per day to meet target breeding weights in early spring. Separate bred heifers from the cows, and provide adequate supplemental nutrition as fall forage quality declines. Monitor body condition closely for the entire herd, and supplement thin cows and heifers as needed. Feed lower quality hay to dry, pregnant cows, saving the best hay for calving season. Start ordering calving supplies now so that they will be on hand in time for calving. Check bred heifers frequently. They should begin calving in December if bred ahead of the mature cow herd.

FALL CALVING—October, November, December

Start feeding a high magnesium mineral supplement about 30 days before lactating cattle are turned out onto lush winter annual or tall fescue pastures. Maintain an adequate inventory of calving supplies, including calf identification tags and obstetric equipment. Keep fall-calving heifers and cows close to handling facilities, observing cattle frequently. After calving, plan to move cow-calf pairs to clean pasture. Tag, castrate, dehorn, and implant calves as appropriate, and keep good calving records. Cow nutrient needs increase dramatically after calving. Make sure lactating cows are in good condition for breeding. Begin breeding heifers three to four weeks before the mature cow herd. Replacement heifers should be nearing 65% of their expected mature weight. Consult with a veterinarian to schedule pre-breeding vaccinations if not already done. Weigh yearling cattle and calculate adjusted weights and ratios. Plan for herd sire needs by evaluating bulls and arranging breeding soundness exams.

Contact Information: BCIA Box 9815 Mississippi State, MS 39762 extension.msstate.edu/agriculture/livestock/beef	Membership Application
Fax: 662-325-8873 Dr. Brandi Karisch, Beef Cattle Extension Specialist Email: brandi.karisch@msstate.edu Budfand Phone: 662-325-7465	Address:
Cobie Rutherford, Beef Cattle Extension Associate Email: cobie.rutherford@msstate.edu	County: State: Zip: Phone: Email:
Find us on Social Media:	(Check one) Seedstock: Commercial: Cattle breed(s):
You Tube www.youtube.com/user/MSUBeefCattle	Completed applications and \$5 annual dues or \$100 life- time dues payable to Mississippi BCIA should be mailed to: Mississippi Beef Cattle Improvement Association Box 9815, Mississippi State, MS 39762
MISSISSIPPI STATE UNIVERSITY	

EXTENSION We are an equal opportunity employer, and all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, national origin, disability status, protected veteran status, or any other characteristic protected by law.